


# PEMKO® MODULAR + CORDUROY SURFACE EDGING SYSTEM 10X63X4MM

P5  
GRIP

## PRODUCT CODES: DESCRIPTION:

|         |                                                         |
|---------|---------------------------------------------------------|
| DE0150C | <b>NATURAL ANODISED</b><br>With natural anodised insert |
| DE0150B | <b>NATURAL ANODISED</b><br>With black anodised insert   |

|          |                                  |
|----------|----------------------------------|
| RANGE    | Stair Nosing & Edging            |
| DESIGN   | Modular Surface + Corduroy       |
| MATERIAL | 6063 T5 extruded aluminium alloy |
| LOCATION | Indoor or Outdoor                |



## FEATURES & BENEFITS

An extruded aluminium holder designed for tiled stairs, that allows the insertion of stair edging products using double-sided self-adhesive tape to offer customisation of colour and contrast

Supplied with DTAC PEMKO® Corduroy Edging 50x3mm

Offers both adhesive and screw-fix options, with screw heads concealed under the inserted edging for a concealed fix

Designed by DTAC in Australia

Suitable for all stable finished outdoor or indoor surfaces and substrates

Complies with the NCC (D4D4 Parts of buildings to be accessible) where stated and Disability (Access to Premises—Buildings) Standards to meet the deemed-to-satisfy-provisions

Complies with slip resistance requirements as detailed in HB 198

## SLIP RESISTANCE TESTING

Refer Corduroy Technical Data Sheet for test data

## LUMINANCE TESTING



Refer Corduroy Technical Data Sheet for test data



# PEMKO® MODULAR + CORDUROY SURFACE EDGING SYSTEM 10X63X4MM FINISHES & SIZES

## AVAILABLE FINISHES & SIZES



### HARD NATURAL ANODISED (25µm)



**CODE** DE0150C

**SIZE** H10 x W63 x T4 - L3200mm

### HARD BLACK ANODISED (40µm)




**CODE** DE0150B

**SIZE** H10 x W63 x T4 - L3200mm


# PEMKO® MODULAR + CORDUROY SURFACE EDGING SYSTEM 10X63X4MM INSTALLATION & APPLICATION

## SUBSTRATE Stone / Masonry / Timber / Vinyl



**CODE** DE0150C / DE0150B


**FIXING** Adhesive.  
Optional screw-fix  
(Screws and plugs  
available upon request)



**CODE** DE0150C / DE0150B

**FIXING** Adhesive only


## SUBSTRATE Vitrified Porcelain / Ceramics / Glass / Metals



**CODE** DE0150C / DE0150B

**FIXING** Adhesive.  
Optional screw-fix  
(Screws and plugs  
available upon request)

**NOTE** Ensure grout line is discrete  
as illustrated



**CODE** DE0150C / DE0150B

**FIXING** Adhesive only

**NOTE** Ensure grout line is discrete  
as illustrated