

# FIBREGLASS WARNING INTEGRATED TACTILE (300X600MM) (BLACK)

**P5  
GRIP**

**PRODUCT CODE:** DFP003

<b>RANGE</b>	Integrated Tactile
<b>DESIGN</b>	Fibreglass Warning
<b>MATERIAL</b>	Reinforced Fibreglass
<b>LOCATION</b>	Indoor or Outdoor
<b>DIMENSIONS</b>	H300 x W600mm

## FEATURES & BENEFITS

Moulded from hard wearing, reinforced fibreglass as a complete uniform integrated warning tactile

Complies with the NCC [D4D9 Tactile Indicators] and Disability (Access to Premises—Buildings) standards to meet the deemed-to-satisfy-provisions

Complies with slip resistance requirements as detailed in HB 198

Made in Australia

## SLIP RESISTANCE TESTING


Important information: To determine a classification of a slip resistance rating, see Australian Standards Hand Book 198 (HB 198), a Guide to the specification and testing of slip resistance of pedestrian surfaces. This document outlines the minimum ratings of a location and situation of a pedestrian surface.

<b>TEST</b>	AS 4586 APPENDIX A: Wet Pendulum Test
<b>TRL 55 SLIDER</b>	= 63 <b>CLASS</b> = P5

## LUMINANCE TESTING

Important information: To determine a luminance contrast between a substrate and the DTAC TGSI, see: AS/NZS 1428.4.1:2009.

<b>TEST</b>	AS/NZS 1428.4.1 APPENDIX E PARAGRAPH E3
<b>LIGHT REFLECTANCE VALUE / WET</b>	= 3.09
<b>LIGHT REFLECTANCE VALUE / DRY</b>	= 3.56



DTAC PTY LTD  
ABN 41 093 070 127

Unit 4, 11-12 Phillip Court  
Port Melbourne Victoria  
Australia 3207

PO Box 5059  
South Melbourne Victoria  
Australia 3205


PEMKO®  
T 1300 793 478

estimating@dtac.com.au  
dtac.com.au

© DTAC Pty Ltd 2025

# FIBREGLASS WARNING INTEGRATED TACTILE (300X600MM) (BLACK) INSTALLATION & APPLICATION

**SUBSTRATE** Stone / Masonry / Timber / Vinyl




**CODE** DFP003

**FIXING** Drill, screw and adhesive (Screws and plugs supplied)

**NOTE** Installed on top of or installed in an existing recess made to suit the tile size.

**SUBSTRATE** Vitrified Porcelain / Ceramics / Glass / Metals



**CODE** DFP003

**FIXING** Drill, screw and adhesive (Screws and plugs supplied)

**NOTE** Installed on top of, or recessed into, any non-drillable substrate that cannot be removed or are too fragile including undulating surfaces such as checker plate, escalator covers or uneven floors.