

PEMKO® MODULAR + RUGGED CARPET EDGING SYSTEM 10X65X6MM

P5
GRIP

PRODUCT CODES: DESCRIPTION:

DE0850B	NATURAL ANODISED With black insert
---------	---------------------------------------

RANGE	Stair Nosing & Edging
DESIGN	Modular Carpet + Rugged
MATERIAL	6063 T5 extruded aluminium alloy
LOCATION	Indoor

FEATURES & BENEFITS

An extruded aluminium holder designed for carpeted stairs, that allows the insertion of stair edging products (sold separately) using double-sided self-adhesive tape to offer customisation of colour and contrast

Supplied with DTAC PEMKO® Rugged Edging 50x3mm

Offers both adhesive and screw-fix options, with screw heads concealed under the inserted edging for a concealed fix

Designed by DTAC in Australia

Suitable for all stable finished indoor surfaces and substrates

Complies with the NCC [D4D4 Parts of buildings to be accessible] where stated and Disability (Access to Premises—Buildings) Standards to meet the deemed-to-satisfy-provisions

Complies with slip resistance requirements as detailed in HB 198

SLIP RESISTANCE TESTING


Important information: To determine a classification of a slip resistance rating, see Australian Standards Hand Book 198 (HB 198), a Guide to the specification and testing of slip resistance of pedestrian surfaces. This document outlines the minimum ratings of a location and situation of a pedestrian surface.

TEST	AS 4586 APPENDIX A: Wet Pendulum Test
TRL 55 SLIDER	= 74 CLASS = P5

LUMINANCE TESTING

Important information: To determine a luminance contrast between a substrate and the DTAC EDGING, see: AS 1428.1:2009.


TEST	AS 1428.1 APPENDIX B PARAGRAPH B3
LIGHT REFLECTANCE VALUE / WET	= 3.65
LIGHT REFLECTANCE VALUE / DRY	= 4.01



PEMKO® MODULAR + RUGGED CARPET EDGING SYSTEM 10X65X6MM FINISHES & SIZES

AVAILABLE FINISHES & SIZES

HARD BLACK ANODISED (40µm)




CODE DE0850B

SIZE H10 x W65 x T6 - L3200mm

Accepts carpet thickness of 6-10mm - carpet rebate 6.25mm

PEMKO® MODULAR + RUGGED CARPET EDGING SYSTEM 10X65X6MM INSTALLATION & APPLICATION


SUBSTRATE Carpet / Carpet Tiles



CODE DE0850B

FIXING Adhesive.
Optional screw-fix (Screws and plugs available upon request)

NOTE DTAC screw-fix mounting methods are available on request




CODE DE0850B


FIXING Adhesive only

NOTE DTAC screw-fix mounting methods are available on request

OTHER DTAC PRODUCTS



WARNING TACTILES




INTEGRATED TACTILES



DIRECTIONAL TACTILES



STAIR NOSING & EDGING



CARPET TACTILE SYSTEMS



THRESHOLDS & TRANSITION STRIPS



URBAN EDGE PROTECTORS



HANDRAIL TACTILE INDICATORS